

C.A.B. INTERNATIONAL
INSTITUTE OF ENTOMOLOGY
LIBRARY

-7 APR 1987

EU 584

ISSN 0013-8908

THE
ENTOMOLOGIST'S
MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.R.E.S.

K. G. V. SMITH, C.Biol., M.I.Biol., F.L.S., F.Z.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 122

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD
1986

Published by Gem Publishing Company

CONTENTS

CONTRIBUTORS	iii
GENERAL INDEX	iv
SPECIAL INDEX –	
ARACHNIDA	vi
COLEOPTERA	vi
COLLEMBOLA	viii
DERMAPTERA	viii
DICTYOPTERA	viii
DIPTERA	viii
EMBIOPTERA	x
EPHEMEROPTERA	x
HEMIPTERA	x
HYMENOPTERA	xi
ISOPTERA	xiii
LEPIDOPTERA	xiii
MANTODEA	xiv
NEUROPTERA	xiv
ODONATA	xiv
ORTHOPTERA	xiv
PHASMIDA	xiv
PHTHIRAPTERA	xv
PSOCOPTERA	xv
THYSANOPTERA	xv
TRICHOPTERA	xv
GROUPS OTHER THAN INSECTA AND ARACHNIDA	xv
ERRATA AND CORRIGENDA	xv

DATES OF PUBLICATION

January/February/March/April	27th March 1986
May/June/July/August	11th August 1986
September/October/November/December	1st December 1986

INDEX

This index covers the year 1986 (Vol. 122). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith.

INDEX TO CONTRIBUTORS

- | | |
|------------------------------|---|
| Abbas, A.K., 65 | Johnson, C., 79 |
| Abdul-Nour, H., 129 | Judd, S., 188 |
| Alexander, K.N.A., 4, 36, 71 | Key, R.S., 30, 199 |
| Anderson, R., 184 | King, P.E., 177 |
| Angelini, F., 37 | Lane, R.P., 116 |
| Appleton, D., 232 | Lee, J., 200, 218 |
| Armitage, D.M., 75 | MacGowan, I., 50, 213 |
| Barber, A.D., 64 | McKee, J., 243 |
| Barnard, P., 165 | McLean, I.F.G., 3, 50 |
| Beaver, R.A., 195 | Martin, A.F., 253 |
| Booth, R.G., 78 | Martyn, K.P., 137 |
| Bowden, J., 5 | Miles, P.M., 239 |
| Bullock, J.A., 164 | Morris, M.G., 110, 128, 238 |
| Bullock, J.M., 164 | Morrison, B.R.S., 200 |
| Burckhardt, D., 121 | Nixon, G.E.J., 233 |
| Bush, M., 51 | Owen, J.A., 8, 120, 144 |
| Carr, R.D., 207 | Page, W.W., 7 |
| Carter, D.J., 78 | Paul, J., 30, 41, 42, 74 |
| Chailey, J.E., 205 | Payne, R.M., 242 |
| Cooter, J., 37, 41, 208 | Peach, W.J., 59 |
| Davies, R.G., 93 | Pearce, M.J., 214 |
| Davis, A.J., 72 | Pont, A.C., 91 |
| de Rougemont, G.M., 209 | Pontin, A.J., 176 |
| Dewhurst, C.F., 7 | Pope, R.D., 254 |
| Doolan, S.P., 30 | Quicke, D.L.J., 9, 97 |
| Eds., 96, 163 | Rands, E.B., 90 |
| Elliott, P., 177 | Read, R.W.J., 204 |
| Fergusson, N.D.M., 189 | Robertson, D.M., 208 |
| Fitton, M.G., 189 | Rotheray, G.E., 215, 254 |
| Fleming, D.A., 43, 117 | Seddon, A.M., 219 |
| Fletcher, K.E., 143 | Sevastopulo, D.G., 73 |
| Fowler, J.A., 59, 258 | Shaw, M.R., 210 |
| Fritz, G.N., 201 | Skidmore, P., 211 |
| Garland, S.P., 218 | Sleeman, D.P., 30 |
| Goddard, D.G., 7 | Smith, K.G.V., 8, 72, 88, 115, 116, 136 |
| Godfray, H.C.J., 127 | Spencer, K.A., 249, 253 |
| Graham, M.W.R. de V., 89 | Thompson, J.C. Cloudesley-, 126 |
| Greathead, D.J., 85 | Turner, B.D., 110 |
| Greenslade, P., 143 | Valladares, G.R., 111 |
| Hammond, P.M., 228 | Verdcourt, B., 255 |
| Hansell, M., 31, 185 | Welch, R.C., 136, 164, 248 |
| Hartley, J.C., 1 | Whalley, P., 202 |
| Heal, N.F., 42 | White, I.M., 145 |
| Hillerton, J.E., 229 | Williams, S.A., 63 |
| Honey, M.R., 92, 252 | Williams, L.R., 258 |
| Horsfield, D., 214 | Withers, P., 78 |
| I.C.Z.N., 4, 176, iii, xiii | Wyatt, N.P., 203 |
| Jacob, T.A., 43, 117 | |

GENERAL INDEX

- Africa, field notes from East, 73
- Afrotropical Braconinae (Hym., Braconidae) and Lamiinae (Col., Cerambycidae), homeochromatic associations within and between the, 97
- Aggregation by male *Psenulus pallipes* Panzer) (Hym., Sphecidae) at night, 126
- Argentina, a new species of *Sericosoma* Macquart (Dipt., Bombyliidae) from, 5; the genus *Ophiomyia* Braschnikov (Dipt., Agromyzidae) in, 111
- Asia, new species and records of the genus *Agathidium* Panzer (Col., Leiodidae) from South-East, 37
- Australia, seven new genera and species of Braconinae (Hym., Braconidae) from Indonesia and, 9
- Australia and Papua New Guinea, a new genus of Agromyzidae (Dipt.) from, 249
- Bat mite, *Macronyssus diversipilus* (Vitzthum) (Mesostigmata: Macronyssidae) new to the British Isles, 137
- Bedfordshire, *Platyrhinus resinosus* (Scop.) (Col., Anthribidae) new to, 90
- Behaviour, mating of *Myrmica schenki* Emery (Hym., Formicidae), 176
- Bias of overlap of mandibles of chewing insects, 229
- Borneo, colony biology of the Stenogastrine wasp *Holischnogaster gracilipes* (van der Vecht) (Hymn.) on Mount Kinabalu, 31
- Brecon Beacons, local and rare Coleoptera from the, 71
- Britain, *Cecidomyia magna* (Möhn) (Dipt., Cecidomyiidae) new to, 253; Collembola from earthworm rearing beds at Rothamsted, including three new records for, 143; four species of *Opius* (Hym., Braconidae) new to, 127; *Thecocarcelia acutangula* (Macquart) (Dipt., Tachinidae), new to, 203
- British Isles, *Macronyssus diversipilus* (Vitzthum) (Mesostigmata: Macronyssidae), a bat mite new to the, 137
- British Plant Gall Society, 163
- British, record of *Rhamphomyia physoprocta* Frey (Dipt., Empididae), a third, 3; Sepsiidae (Dipt.), two additions to the list of, 91
- Cape Verde Islands, the genus *Empidideicus* Becker (Dipt., Bombyliidae) in the, 85
- Cattle, flies from in North Somerset, 242
- Clwyd, *Anthocomus rufus* (Hbst.) (Col., Melyridae) near Wrexham, 248
- Colony biology of the Stenogastrine wasp *Holischnogaster gracilipes* (van der Vecht) (Hym.) on Mount Kinabalu (Borneo), 31
- Cornwall, two new localities for *Anchonidium unguiculare* (Aubé) (Col., Curculionidae) in west, 36
- Correction, *Quedius aetolicus* Kr. (Col., Staphylinidae) in West Sussex, 41
- Cumbria, *Apion rubens* Stephens (Col., Apionidae) in West, 204; *Pholidoptera griseoaptera* (DeG.) (Orth., Tettigoniidae) in Scotland and, 41
- Derbyshire, an assemblage of old woodland Coleoptera at Chatsworth part, North, 218
- Dorset, *Tropideres niveirostris* (F.) (Col., Anthribidae) in, 110
- Earthworm rearing beds, Collembola from, including three new records for Britain, 143
- Ectoparasites from guts of deer and fox, 30
- France, a new species of *Stenomalina* (Hym., Pteromalidae), from, 89
- Further observations on *Tetanura pallidiventris* Fall. (Dipt., Sciomyzidae), 78
- Gloucestershire, *Pipizella maculipennis* (Meig.) (Dipt., Syrphidae) found in, 50
- Grass, midge (Dipt., Cecidomyiidae), a new species of infesting the inflorescence of *Phalaris arundinacea* L. in Britain, 65; particles in the abdomen of a moth, 7
- Gravenhorst Ichneumonidae (Hym.) in the British Museum (Natural History), 189
- Herefordshire, *Pamphilus sylvarum* (Stephens) (Hym., Symphyta) in, 208
- Homeochromatic associations within and between the Afrotropical Braconinae (Hym., Braconidae) and Lamiinae (Col., Cerambycidae), 97
- Huntingdonshire, *Aromia moschata* (L.) (Col., Cerambycidae) in, 164
- Indonesia, seven new genera and species of Braconinae (Hym., Braconidae) from Australia and, 9
- Institute of Terrestrial Ecology, 96
- International Commission on Zoological Nomenclature, 4, 176, iii, xiii
- Intertidal Coleoptera, a comparison of the environmental adaptations of the larval and imaginal stages of certain, 177
- Isle of Wight, *Baris analis* (Olivier) (Col., Curculionidae) rediscovered in, 232
- Krakatoa, the butterflies of, 51
- Larva and puparium of *Epistrophe grossulariae* (Meigen) (Dipt., Syrphidae) with a note on over-wintering behaviour, 215

- Lebanon, three new and interesting Cicadellidae (Hom., Auchenorrhyncha) from, 129
- Leicestershire, *Dytiscus circumcinctus* Ahrens (Col., Dytiscidae), in, 7
- Life cycle and laboratory culture of *Dixella autumnalis* Meigen (Dipt., Dixidae), 59
- Macropterous specimen of *Conocephalus dorsalis* (Latr.) (Orth., Tettigoniidae) from dry limestone downland, 30
- Man, larvae of Therevidae (Dipt.) biting, 115
- Mandibles of chewing insects, bias of overlap in, 229
- Mating behaviour of *Myrmica schenki* Emery (Hym., Formicidae), 176
- Melanic specimen of *Piezodorus lituratus* (F.) (Hem., Pentatomidae), a, 188
- Melanisation in the bush cricket *Polysarcus (Orphania) denticaudus* (Charpentier) (Orth., Tettigoniidae), 1
- Middlesex, *Dixella attica* Pandazis (Dipt., Dixidae) in a restored pond in, 258
- Mount Kinabalu (Borneo), colony biology of the Stenogastrine wasp *Holischnogaster gracilipes* (van der Vecht) (Hym.) on, 31
- Multiparasitism of *Pleuroptya ruralis* (Scopoli) (Lep., Pyralidae), by *Nemorilla floralis* Fall. and *Phryxe nemea* (Meig.) (Dipt., Tachinidae), 72
- Nocturnal swarming of *Cylindronotus laevioctostriatus* (Goeze) (Col., Tenebrionidae), 214
- Nomenclature of British Tephritidae (Dipt.), and a new species of *Paroxyna* Hendel, 145
- Northamptonshire, *Ocyusa nitidiventris* (Fagel) (Col., Staphylinidae) in, 136
- OBITUARIES - Kimmins, D.E., 165; Richards, Prof. O.W., 93; Shaw, H.K. Airy, 255
- Over-wintering behaviour, the larva and puparium of *Epistrophe grossulariae* (Meigen) (Dipt., Syrphidae) with a note on, 215
- Paintwork, car, large numbers of *Pegopus inornatus* (Walker) (Hym., Pteromalidae) attracted to, on moors in Radnorshire, 30
- Papua New Guinea, a new genus of Agromyzidae (Dipt.) from Australia and, 249
- Parasitic and phoretic Nematoda associated with Collembola, some, 239
- Philippines, a new species of *Holobus* Solier (Col., Staphylinidae) from the, 63
- Piratical behaviour in queens of the hornet *Vespa crabro* L. (Hym.) in England, 233
- Poultry houses, population changes of four species of insects (Col. & Dipt.) in three deep pits, 75
- Puparium of *Buccophonia subcostalis* Emden (Dipt., Muscidae), 211; of *Epistrophe grossulariae* (Meigen) (Dipt., Syrphidae) with a note on over-wintering behaviour, larva and, 215
- Radnorshire, large numbers of *Pegopus inornatus* (Walker) (Hym., Pteromalidae) attracted to car paintwork in, 30; *Leistus rufomarginatus* (Duftschmid) (Col., Carabidae) in, 199
- Rediscovery of *Eristalotabanus violaceus* Kröber (Dipt., Tabanidae), 205
- Redescription of *Trioza sahlgbergi* Sulc with comments on the genus *Heterotrioza* (Hem.-Hom., Psyllidae), 121
- REVIEWS - Brock, P.D., 1985, The Phasmid rearers Handbook, 136; Eastbrook, M., 1985, Hawk-moths of the British Isles, 92; Eyre, M.D., Ball, S.G. & Foster, G.N., 1985, An Atlas of the Water Beetles of Northumberland and Durham, 228; Hammond, C.O., 1985, The Dragonflies of Great Britain and Ireland (2nd edn., pbk), 88; Harding, P.T. & Sutton, S.L., 1985, Woodlice in Britain and Ireland, 8; Hardman, J.A., Ellis, P.R. & Stanley, E.A., 1985, Bibliography of the Carrot Fly, *Psila rosae* (F.), 116; Harrison, F. & Sterling, M.J., 1985, Butterflies and Moths of Derbyshire, 78; Heath, J. & Emmet, A.M., 1985, The Moths and Butterflies of Great Britain and Ireland, Vol. 2, Cossidae-Helioidinidae, 42; Kettle, D.S., 1984, Medical and Veterinary Entomology, 116; Matthews, E.G., 1985, A Guide to the Genera of Beetles of South Australia, Pt 4, Polyphaga, 254; McQuillan, P.B. & Forrest, J.A., 1985, A Guide to the Common Moths of the Adelaide Region, 252; Schnack, K., 1985, Katalog over de Dansk sommerfugle - Catalogue of the Lepidoptera of Denmark, 202; Stork, N.E., 1986, An Annotated Checklist of the Carabidae (including Cicindelinae, Rhysodinae and Pausinae) Recorded from Borneo, 238; Thompson, J.L. Cloudsley-, 1985, British Naturalist's Association Guide to Woodlands, 128; Willmer, P., 1985, Bees, Ants and Wasps, a Key to Genera of the British Aculeates, 72
- Scotland, a further record of *Servillia ursina* (Meigen) (Dipt., Tachinidae) in central, 214; further records of *Tachypeza truncorum* (Fall.) (Dipt., Empididae) in, 50; new records of *Gyrinus distinctus* Aubé and *Gyrinus bicolor* F. (Col., Gyrinidae) in, 200; *Pholidoptera griseoptera* (DeG.) (Orth., Tettigoniidae) in Cumbria and, 41; *Phymatocera aterrima* (Klug) (Hym., Tenthredinidae) in, 210; *Rhopalodontus perforatus* (Gyll. (Col., Ciidae) at three sites in, 8; *Sciapus contristans* (Wied.) (Dolichopodidae) in, and

- other Diptera new to, the Western Isles, 213; Shetland, Psocoptera of, 110; Shetland, Unst, the Carabidae (Col.) of, 243; some hoverfly (Dipt., Syrphidae) records from, 208; *Terellia serratulae* (L.) (Dipt., Tephritidae) in, 254; *Tetropium castaneum* (L.) (Col., Cerambycidae) breeding in, 144
- Sheffield area, *Agabus melanarius* Aubé and other interesting aquatic Coleoptera from the, 200
- Silo pits, *Deleaster dichrous* (Grav.) (Col., Staphylinidae) associated with, 184
- Skye, Isle of, *Formica aquilonia* Yarrow (Hym., Formicidae) and some beetle associates in the, 120
- Slides, a device for ringing quickly, 201
- Snails, dead, some Diptera and their parasitoids bred from, in Zambia, 195
- Somerset, flies from cattle in north, 242; two recent records of *Pterostichus aethiops* (Pz.) (Col., Carabidae) from, 4
- Staffordshire, *Metrioptera brachyptera* (L.) (Orth., Tettigoniidae) from, 42
- Studies on *Baeocrara* Thomson (Col., Ptilidae), 79
- Sussex, *Quedius aetolicus* Kr. (Col., Staphylinidae) in West, a correction, 41
- Swarming, nocturnal, of *Cylindronotus laevioctostriatus* (Goeze) (Col., Tenebrionidae), 214
- Synonymic notes on *Cryptobium* (*Ophitodum*) *nobile* Bernhauer (Col., Staphylinidae, Paederinae), 209
- Synonymy, new in the Chloropidae (Diptera), 253
- Temperature, and relative humidity, the influence of, upon the number and duration of larval instars in *Dermestes lardarius* L. (Col., Dermestidae), 43; low, effect of exposure to, on the viability of eggs of *Oryzaeophilus surinamensis* (L.) (Col., Silvanidae), 117
- Terrestrial Chironomidae (Dipt.), abundance and life-history of four species of, from deciduous woodland soil in South East England, 219
- Torquay, notes on British *Cryptops* spp. including *C. anomalans* Newport (Chilopoda, Scolopendromorpha) from, 64
- Unst, Shetland, the Carabidae (Col.) of, 243
- Warwickshire, *Sympetrum danae* (Sulz.) (Odon., Libellulidae), a dragonfly new to, 74
- Western Isles, *Sciapus contristans* (Wied.) (Dolichopodidae) in Scotland and other Diptera new to the, 213
- Willows, Chrysomelidae (Col.) feeding on, 164
- Wrexham, Clwyd, *Anthocomus rufus* (Hbst.) (Col., Melyridae) near, 248
- Yorkshire Wolds, some interesting Coleoptera from the, 78
- Zambia, some Diptera and their parasitoids bred from dead snails in, 195

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

- Attus otiosus*, 4
- Caloglyphus berlesei*, 76
- Centruroides ornatus*, xiii
- Centrurus limpidus*, xiii
- Ichoronyssus blattensis*, 139, 142; *diversipilis*, 137
- Ixodes ricinus*, 30
- Liponyssus diversipilis*, 137, 139; *lepidopeltis*, 139, 141
- Macrocheles muscae domesticae*, 76-7
- Macronyssus blattensis*, 137; **diversipilis*, 137-42; *ellipticus*, *flavus*, *kolenati*, *uncinatus*, 137, 142
- Tetranychid mites, 63-4
- Thaididae, iii

COLEOPTERA

- Acalles ptinoides*, *roboris*, 36
- Aepus marinus*, *robini*, 177-83
- Agabus arcticus*, *biguttatus*, congener, *melanarius*, *paudosus*, 200
- Agathidium alatum*, *angelinii*, *brunneum*, *duofoveatum*, *grouvellei*, *gulmargense*, *laticorne*, *maculicollis*, *montanum*, *saundersi*, *semirufum*, *tonkinense*, 37-40
- Agonum fuliginosum*, 244
- Aleochara lanuginosa*, 184
- Alosterna tabacicolor*, 218
- Alphitobius diaperinus*, 75-7
- Amara apricaria*, *lunicollis*, 244, 246
- Amodobia talpa*, 120

- Anchonidium unguiculare*, 36
Anitys rubens, 218
Anotylus rugosus, 184
Anthocomus rufus, 248
Aphodius lapponum, 71
Aphthona herbigrada, 78
Apion cruentatum, frumentarium,
 miniatum, rubens, 204
Archarias, 176
Aromia moschata, 164
Atheta aquatilis, 71; fungi, 184; incognita,
 71
Baeocrara andrewesi, 81, 83; japonica,
 79–83; litoralis, 79; **parvula**, 81;
 tshiaberi-muensis, 81, 83; **vaga**, 81–3;
 variolosa, 79, 80, 84
Baris analis, 232
 Beetle larvae, 115
Bembidion bruxellense, lampros, 184;
 lunulatum, 136; stomoides, 71
Bitoma crenata, 218
Brachyderes, 4
Brius, xiii
Bruchus dentipes, 232
Bulbifer, 176
Buprestidae, 254
Byrrhus murinus, xiii
Caenopsis waltoni, 36
Cafius xantholoma, 177–83
Calathus fuscipes melanocephalus, 244–5
Carabidae, 238
Carabus problematicus, 244
Carcinops pumilio, spp., 75–7
Cassida atripes, 176
Castiarina, 254
Cerambycidae, 104
Cholus, 176
Cicendela campestris, 128
Cillenus laterale, 177–83
Cis nitidus, 8; vestitus, 218
Clivina fossor, 244
Coelambus impressopunctatus, 200
Coeliodes dryados, 36
Cryptobium lloydi, nobile, 209–10
Ctesias serra, 218
Curculio picrostris, xiii
Cychnus caraboides, 244, 246
Cyclaxyra, xiii
Cycloderes, 4
Cylindronotus laevioctostriatus, 214, 218
Dacne bipustulata, 218
Deleaster dichrous, 184
Dendroctonus micans, 232, 253
Dermites lardarius, 43–50, 76; macu-
 latus, 75–6, 232
Dirphya gigantea, 105; nigricornis,
 princeps, 104–5
Dorcatoma chrysomelina, flavicornis, 218
Drasterius bimaculatus, iii
Dryocoetinus villosus, 218
Dryophthorus, 176
Dyschirius globosus, 244, 246
Dytiscus circumcinctus, marginalis, 7
Eccoetus, 176
Elater bimaculata, iii
Elateridae, (larvae) 115, 254
Euplectus signatus, 120
Eurhin, *Eurhinus*, 4
Feronia madida, 232
Galerucella lineola, 164
Gyrinus bicolor, colymbus, distinctus, sub-
 striatus, 200
Haliplus heydeni, laminatus, 200
Harminius, 4
Harpalus latus, 244
Helophorus longitarsus, 207
Holobus ingrani, 63, pigmaeus, 64
Homeotarsus, 209
Hydrobius fuscipes, 200
Hydroporus discretus, 136; ferrugineus,
 gyllenhali, incognitus, longulus,
 melanarius, memnonius, morio,
 nigrita, obscurus, tristis, umbrosus, 200
Hylecoetus dermestoides, 218
Hylotrupes bajulus, 232
Isarthron, xiii
Judolia cerambyciformis, 71
Laccophilus hyalinus, 200
Lachnopus, 176
Lamiinae, 104
Lasioderma serricorne, 232
Leistus fulvibarbis, 184; rufomarginatus,
 199; rufescens, 244, 246
Leiopus nebulosus, 218
Lesteva heeri, longoelytrata, 136
Licinus depressus, 78
Loricera pilicornis, 244–5, 248
Lucanus cervus, 232
Lycid beetles, 108
Lypocorhe anceps, 120
Malthodes guttifer, 71
Matromalocera, 254
Melanochroa, xiii
Meligethes subrugosus, 78
Menoetius, 176
Micalymma marinum, 177–183
Microsporidae, 4
Monotoma conicicollis, 120
Mycetophagus piceus, quadripustulatus,
 218
Mystrocnemus analis, 105
Nebria brevicollis, 177–8, 184; gyllenhali,
 71, 244–7; salina, 244–7
Nemocestes, 176
Neonitocris (Dirphya) frontalis, princeps,
 105
Nephanes, 79
Nitocris comitessa, juvenca, similis, simp-
 soni, subjuvenca, sutureaurea, 105
Notiophilus aquaticus, biguttatus, 244,
 246
Notothecta flavipes, 120
Nupserha apicalitis, bidentata, deusta,
 mozambicae, 105
Oberea laterinigricollis, scutellaris, tri-
 gonalis, ventralis, 105

Obereopsis longicollis, 105
Ocyusa nigrata, nitidiventris, 136
Oligota, 64
Olisthopus rotundatus, 244
Ophitodum lloydi, 209–10
Oryzaephilus surinamensis, 117–120
Oxypoda formiceticola, haemorrhoea, 120
Oxyteles sculptus, 184
Patrobus assimilis, 71, 244–5; septen-
 trionis, 244
Phyllodecta vulgatissima, 164
Phytodecta olivacea, 94
Phytoecia haroldi, 105
Platyrhinus resinosus, 90
Pterostichus adstrictus, 71; *aethiops*, 4;
diligens, 244, 246; *niger*, 244, 247;
nigrita, 244; *oblongopunctatus*, 244–5,
 248; *strenuus*, 244–6
Ptilium myrmecophilum, 120
Ptilopus, 176
Ptinella cavelli, 120
Ptinus clavipes, exulans, tectus, 76
Quedius aetolicus, cruentus, 41
Rhagonycha fulva, 232
Rhantus exsoletus, 200
Rhizophagus ferrugineus, nitidulus, 218
Rhopalocerus, xiii
Rhopalodontus perforatus, 8
Saperda scalaris, 218
Scaphisoma agaricinum, 218
Scarabaeidae larvae, 115
Scarodytes halensis, 136
Scolytus intricatus, 218
Sitophilus, 94
Smicrus, 79
Stenostola ferrea, 218
Stenus, 209
Stictonectes lepidus, 200
Strongylaspis, 176
Subhymenotarsus nobile, 209
Tachinus marginellus, 184
Tachyporus chrysomelinus, pusillus, 184
Tenebrio molitor, obscurus, 232
Tenebrionidae larvae, 115
Tetropium, xiii; *castaneum, castaneum var*
fulcratum, gabrieli, 144
Thiasophila angulata, 120
Thylacites, 4
Timarcha tenebricosa, 232
Trichopteryx japonica, litoralis, variolosa,
 79–80
Trechus obtusus, 244–6
Triphyllus bicolor, 218
Tropideres niveirostris, 110
Tropiphorus, xiii
Tychius stephensi, xiii
Uroplat- [stem], iii
Xantholinus linearis, 184; *punctulatus*, 76
Xestobium rufovillosum, 218
Zeugophora, 176
Zygops, 176

COLLEMBOLA

Collembola, 184
Cryptopygus fasciatus, 143
Entomobrya multifasciata, nivalis, 239
Hypogastrura assimilis, denticulata, 143
Isotoma viridis, 241
Isotomurus palustris, 240–1
Lepidocyrtus pallidus, 143
Neanura muscorum, 241
Orchesella villosa, 241
Onychiurus armatus, 239
*Proidotoma *filifera, *fitchi*, 143–4;
minuta, stachi, 143
Protaphorura (s.g.), 239
Sinella caeca, 143–4
Xenylla welchi, 143
**Yuukianura aphoruroides*, 143–4

DERMAPTERA

Forficula auricularia, 231

DICTYOPTERA

Caeparia, 176
Panesthia saussurii, 176
Periplaneta americana, 231

DIPTERA

Acanthiophilus helianthi, 160
Acidia, 145, 146; *cognata*, 159
Acinia corniculata, 160; *jaceae*, 146
Acritochaeta (s.g.), 196
Agromyza, xiii; *nana*, 127; *reptans*, xiii
Ametrodiplosus, 68
Anatrichus bisegmentus, erinaceus v.
pygmaea, pygmaeus, 253
Anomoia purmunda, 159
Anthalia schoenherri, 4
Anthomyia fasciata, 196, 198; *illocata*, 196
Asphondylia sesami, 26
Atherigona, 211–3; *orientalis*, 196, 198
Atherigoninae, 211
Bryophaenocladus xanthogyne, 220–7
Buccophaonia subcostalis, 211–3
Calliphoridae, 206
Campiglossa argyrocephala, 145–6, 160;
grandinata, 146, 160
Carcelia, 204
Carceliini, 203–4
Cecidomyia magna, 253
Ceratitis capitata, 158
Cerajocera ceratocera, microceras, plagi-
ata, tussilaginis, 159
Chaetorellia, 145–6; *falcata, jaceae*, 159;
loricata, 147, 159

- Chaetostomella, 145, 147, 149; cylindrica, 147, 149, 150, 159; dorsalis, 159; lurida, 147, 159; onotrophes, 159
 Cheilosia cynocephala, impressa, pubera, 208
 Chetostoma curvineure, 159
 Chloropidae, 253
 Chrysogaster macquarti, 213
 Chrysomyia, iii
 Chrysotus angulicornis, 242
 Cochliomyia, xiii
 Copestylum, 206
 Corsomyzini, 5
 Cryptaciura, 145; rotundiventris, 147, 159
 Cytherea, 5
 Cythereinae, 5
 Damalis planiceps, 4
 Dermatobia hominis, 116
 Dialineura anilis, 115
 Dieladocera, 206
 Dioxyna, 148, 152; bidentis (comb. n.), 145, 147–8, 151, 160; cilicornis, elongatula, 160
 Disomyza incurva, maculipennis, 195; similis 195–8
 Dithryca guttularis, 160
 Dixella aestivalis, 59–62, 258; attica, 258; autumnalis, 59–62; martinii, 258
 Dolichopus caligatus, 213
 Echinia bisegmenta, 253
 Echiniidae, 253
 Empidideicus freyi, insularis, 85–8
 Ensina sonchi, 160
 Epistrophe eligans, 215, 217; euchroma, 217; grossulariae, 215–7; liophthalma, 215; nitidicollis, 215, 217; ochrostoma, 215
 Epistrophebella (s.g.), euchroma, 217
 Eristalis, 206
 Eristalotabanus violaceus, 205–7
 Euleia heraclei, heracleii, 159
 Euphranta stat. n., 148; apicalis, 145; toxoneura apicalis, 145, 158
 Frontina lacta, 204
 Geron phallophorus, priapeus, 88
 Goniglossum wiedemanni, 157, 159
 Graphomya, 211
 Gymnometriocnemus brumalis, 220–7
 Haematobia irritans, 242
 Heringina guttata, 161
 Heteronychia benefactor, 196
 Hydrotaea albipuncta, irritans, 242
 Ictericus westermanni, 160
Kleinschmidtmyia, 249–51; dianellae, 249–50; gemina, indigoferae, nuginiensis, paramonovi, 251; pisi, 249; wikstroemiae, 251
 Leptocera ferruginata, rufilabris, 242; spp., 75–7
 Limnophyes exiguus, 223
 Lonchoptera furcata, lutea, 242
 Megaselia sp. A., sp. B., 195, 198
 Melanagromyza, 249; dianellae, 249–50; indigoferae, 249; paramonovi, 251; pisi, 249; wikstroemiae, 251
 Melangyna triangulifera, 208
 Meligramma cincta, 215
 Meromyza femorata, 242
 Metasyrphus latifasciatus, 213
 Microchrysa, iii
 Morellia simplex, 242
 Mulio cinerea, lateralis, marginalis, 5
 Musca, 150; autumnalis, 242; cinereus, 151; domestica, 75–7; graeca, iii; miliaria, 158; trilineata, iii
 Myoleja caesio, 159; lucida, 146
 Myopites, 145, 152; blotii, 158; eximia, 149, 158; frauenfeldi, 149, 158; inulae-dysentericae, 158; longirostris, 149, 158
 Mythicomysiinae, 85
 Napomyza, xiii
 Nemorilla floralis, 72
 Neocnemodon verrucosa, 208
 Noeeta, 145; brunica, 149; flavipes, 145, 149; pupillata, 149, 160
 Ochromyza trifaria, 196–8
 Ophiomyia, 249; buscki, 111; **cabanae**, 111–2; camerae, 114–5; dianellae, 249–50; fasciculata, 111; gemina, 251; hirticeps, 111; indigoferae, 251; lacertosa, 114; lantanae, 114–5; nuginiense, 251; pfaffiae, 111; obstipa, 113–4; paramonovi, 251; pisi, 249; **verbenivora**, 112–5, wikstroemiae, 251
 Oplocheta, 160
 Opomyza germinationis, 242
 Orellia, 145, 149; distans, 150; falcata, 147, 150, 160; scorzonerae, 150
 Orthocladinae, 220
 Oxya, 145; argyrocephala, 152; dracunculi, 151; flavipennis, 160; misella, 145, 152; nebulosa, 145, 150, 160; parietina, 150, 160; parvula, 145, 151; proboscidea, 150, 160
 Paraphaenocladus, 220; impensus, cuneatus, irritus, penerasus, 221; 'sp. A', 221–4
 Pararhampomyia (s.g.), 3
 Paregle cinerella, 242
 Paroxyna, 145, 146, 150, 160; absinthii, 145, 148, 151–2, 160; alethe, 152, 160; argyrocephala, 146; bidentis, 148, 160; cilicornis, 145, 147, 148; cinereus, 160; confluent, 153, 161; dracunculi, 152, 160; lhommei, 160; loewiana, 145, 152–3, 156, 160–1; lusoria, 145, 160; misella, 146, 152, 155, 156, 160; parvula, 160; plantaginis, 161; praecox, 156, 161; producta, 151, 153, 161; punctella, 145, 160; **solidaginis**, 145, 153–6, 161; tessellata, 145, 153, 161
 Pegomya betae, hyoscyami, 127
 Phagocarpus, 159
 Philophylla, 159
 Phryxe nemea, 72

Phthiriinae, 5
 Phytoliriomyza hilairella, 127
 Phytomyza heracleana, scotina, 127
 Pipiza austriaca, 208
 Pipizella maculipennis, 50
 Platycheirus scutatus, 217
 Platyparea discoidea, poeciloptera, 159
 Platyparella, 159
 Psila rosae, 116
 Pyrophaena granditarsa, 213
 Puliciphora sp., 195, 198
 Reinwardtiinae, 211
 Rhacochlaena (s.g.) stat. n., 145, 148, 158;
 toxoneura apicalis, syn. n., 148
 Rhagoletis alternata, meigenii, 159
 Rhaphomyia physoprocta, 3
 Saltella sphondylii, 242
 Sarcophaga inzi, musitali, tibialis, 196–198
 Schlingeria ammobata, 115
 Sciapus contristans, 213
 Selosoma, 207
 Sepsidae, 76
 Sepsis biflexuosa, 91; cynipsea, 242; flavi-
 mana, 91, 242; *nigripes, 91
 Sericosoma **leucou**, 5–7; pubipes, 5
 Servillia ursina, 214
 Simulium amazonicum, 4
 Sitarea, 145, 147, 149–50, 159–60;
 cylindrica, 147; dejeanii, 149; dorsalis,
 lurida, onotrophes, 147; scorzonerae,
 147, 149
 Sitodiplosis cambriensis, 65, 68, 70; dac-
 tylidis, mosellana, 65, 68; **phalaridis**,
 sp., 65–71
 Smittia aeterrima, 220–7; contingens, 220;
 edwardsi, 220–1, 223, 225
 Sphaeroceridae, 96
 Sphaerocerid flies, 75–7
 Sphenella marginata, 161
 Spilographa wiedemanni, 157
 Staurella (s.g.) syn. n., 145, 148; circum-
 scripta, 148
 Staurocneros (s.g.) syn. n., 145, 148
 Stelechodiplosis, 253
 Stenidiplosis barnesi, 69
 Stomoxys calcitrans, 242
 Styli, 145, 148; bidentis, 147–8; maculata,
 148, 151–2; mentharum, 149
 Syrphidae, 108
 Syrphus ribesii, 217; vitripennis, 215
 Tabanids, 242
 Tachypeza truncorum, 50
 Tephritidae, 197
 Tephritis alethe, 151; absinthii, 145, 151;
 bardanae, 161; cognata, 146; cometa,
 161; conjuncta, 145, 156, 157, 161;
 conjuncta v separata, 156; conura, 161;
 decipiens syn. n., 145, 156–7, 161;
 dioscurea, 161; dorsalis, 147; formosa,
 161; hurvitzii, 157; hyoscyami, 161;
 leontodontis, 156, 161; leontodontis
 sejuncta, 156; lusoria syn. n., 145, 152;
 nebulosa, 150; neesii, 156–7, 161;

 praecox, 145, 156, 161; punctella syn.
 n., 151; pupillata, 149; rotundiventris,
 147; ruralis, 161; sejuncta, 156, 161;
 separata, 145, 156–7, 161; vespertina,
 161
 Tephrytis cylindrica, 147; jaceae, 146
 Terellia colon, longicauda, ruficauda, 160;
 serratae, 160, 254; vectensis,
 winthemi, 160
 Tetanura pallidiventris, 78
 Thecocarcelia acutangulata, 203–4;
 incedens, 203
 Thelymorpha marmorata, 204
 Themira *biloba, putris, 91–2
 Thereva annulata, 115
 therevid larva, 115
 Tipula sp., 231
 Tomoplagia, 149
 Toxophorinae, 5
 Trichopticoidea decolor, 242
 Tripeta cognata, 146; loricata, 147
 Tropicomyia, 249; indigoferae, nugini-
 ensis, 251; dianellae, 249–50; pisi, 249;
 wikstroemi, 251
 Tropidia scita, 208
 Trupanea amoena, stellata, 161
 Trypeta, 145; argyrocephala, 146;
 artemisiae, 159; elongatula, 147, 148;
 hamifera, immaculata, 159; lurida, 147;
 onotrophes, 147; praecox, 156; probos-
 cidea, 150; producta, 150; sorocula,
 148; tessellata, 145, 150–1; toxoneura,
 148; wiedemanni, 145, 157, 159; zoe,
 157, 159
 Urophora cardui, cuspidata, jaceana,
 quadrifasciata, solstitialis, spoliata,
 stylata, 158
 Usia erythraea, 88
 Usiinae, 5
 Vidalia cornuta, spinifrons, 159
 Villa bravae, phacotaenia, 88
 Xyphosia, 145; cirsiorum, 158; miliaria,
 161

EMBIOPTERA

Clothoda vrichi, 231

EPHEMEROPTERA

Ephemera danica, 231
 Micronecta griseola, xiii

HEMIPTERA

Allygus, iii
 Aphididae, 64
 Aphids, 126

- Berytus, 4
 Calaphis, iii
 Callaphis, iii
 Chermes urticae, 124
 Circulifer macchiaae, 133
 Drepanosiphum platanoides, 217
 Dyspersa albiventris, apicalis, alacris, dichroa, elacagni, pallida, remota, thomasii, 123
 Dyspersa, 123
 Emelyanoviana contraria, 135; mollicula, naylae, 133–5
 Heterotrioza chenopodii, dichroa, elacagni, 123; eurotiae, 123; eurotica, 124; horvathi, kasachstanica, 123; kasachstanica, kazakhstanica, 124; marrubii, 123; obionae, obliqua, sahlbergi, thomasii, 123; timidicauda, 125
 Micronecta griseola, xiii
 Mocydia crocea 131–3, 135; **spiculum**, 131–3
 Mocydiopsis, 133
 Myzus festucae, 4
 Nepa cinerea, 4
 Oeciaceus vicarius, iii
 Piezodorus lituratus, 188
 Psylla chenopodi, chenopodii, 124
 Reduviidae, 108
 Sigara lemana, minuta, scholtzi, schlotzii, xiii
 Spanioza chenopodii, dichroa, horvathi, 124; sahlbergi, 125
 Thamnotettix **agilis**, 129–31; allygidioides, creticus, klapperichi, 131; minoidis, 129, 131; seclusus, 131; wittmeri, 129, 131
 Trioza alacris, albiventris, apicalis, atriplicina, atriplicis, 124; bathiashvili, 124–5; chenopodii, 123–4; dalei, 124; dichroa, 123–4; epicroca, eurotiae, 124–5; horvathi, 124; horvathii, 123–4; kasachstanica, kochiae, marrubii, 124–5; narynica comb. n., obionae, 125; obliqua 123–4; pallida, remota, 123; sahlbergi, 121, 123, 125; sympegmae, 125; tumidicauda, comb. n., 125; urticae, 124
-
- HYMENOPTERA
- Acoenites arator, 190
 Acromyrmex octospinosus, 231
 Adeshini, 101
 Adeshoides, 100–1
 Africadesha, 100–1
 Agathinidae, 104, 108
 Agrothereutes mandator, 'migrator', 191
 Agrypon anxium, 190
 Alioplasta piceator, 191
 Alomya debellator, ovator, 190
 Amblyjoppa fuscipennis, 192
 Amblyteles armatorius, 192
 Alexeter multicolor, 194
 Ancistroceroides, iii
 Anischnogaster, 185
 Anomalon cerinops, flaveolatum, 190, foliator, 194
 Ants, 239–42
 Apanteles melanoscelsus, 72, ornigis, 176
 Apechthis compunctor, rufatus, 193
 Aphrastobracon, 14, 21; sinuatus, 9, 23
 Apis mellifera, 115, 231; pilipes, xiii
 Apodesmia, 127
 Archibracon, 14, 100
 Aspidobracon, 100–1
 Atractodes bicolor, 190
 Atta cephalotes, 231
 Bacuma, 100
 Banchus falcator, falcatorius, pictus, 190
 Barichneumon anator, 191; completus, 192; harporus, 193; peregrinator, 192
 Barycnemis harpurus, 193
 Bassus albisignatus, bizonarius, 190; festivus, lactatorius, pectoratorius, sulcator, 191
 Bathyaulax, 14, 100; cyanogaster, 98
 Bombus, 96
 Brachymeria amenocles, 196; fons-colombe, 197; podagrica, 196–8
 Bracon, 14–5, 18, 22, 26, 98, 100–1; vimaris, 16; conspiciendus, diores, ferax, 9, 16; ferox, 16; walkeralis, 9, 16
 Braconella, 14, 100–1
 Braconinae, 97–108
 Braconini, 101
 Buathra laborator, 191
Calcaribracon, 9, 12, 16–7; conspiciendus comb. n., diores comb. n., ferax comb. n., 9, 16, 28–9; **rostratus**, 9, 12–6, 28–9; walkeralis comb. n., 16, 28–9
 Campoplex chrysostictus, difformis, ebeninus, longipes, majalis, mixtus, notatus, pugillator, 191
 Campoplex (?) sp., 191
 Carinibracon, 100–1
 Catadelphus arrogator, 192
 Chartobracon, 14
 Chrysidioidea, 72
 Chrysocharis phytomyzae, 114
 Coelichneumon comitator, 192
 Collyria coxator, 193
 Colpognathus procerus, 193
 Colpotrochia cincta, 194
 Cosmoconus elongator, 194
 Craticheumon culex, 191; viator, 191–2; versator, 192
 Cratobracon, 108
 Cratocnema, 14, 100–1
 Cryptonastes, 127
 Cryptus analis, assertorius, bitinctus, cyanator, dianae, grisescens, leucopis, migrator, obscurus, peregrinator, titillator, viduatorius, volubilis, 191
 Ctenichneumon edictorius, funereus, 192
 Curria, 100

- Delopia angustata*, ? *foersteri*, 191
Deltaphyma, 100
Diadegma chrysostictos, *majalis*, 191
Dioxybracon, 10, 26
Diphyus ochromelas, 192
Diplazon laetatorius, *pectoratorius*, 191;
tetragonus, 190
Dirhinus anthracea, 196–8; *giffardii*, 197
Dolichomitus agnoscendus, 191
Dolabraulax implicatus, 9, 18–20
Doryctinae, 104, 108
Ectopius rubellus, 192
Endasys senilis, 193
Endovipio, 100
Enicospilus ramidulus, 193
Ephialtes carbonarius, *manifestator*,
mediator, 191
Erromenus brunnicans, 194
Esenga, 100–1
Euryproctus geniculosus, *mundus*, 193
Eustenogaster, 185
Eutropobracon, 10
Euurobracon, 14
Euvipio, 100
Exeristes roborator, 193
Exetastes adpressorius, *albitarsus*, *atrator*,
clavator, *fornicator*, *fulvipes*, *gutta-*
torius, *laevigator*, *notatus*, *oscula-*
torius, 191
Exochus coronatus, *erythronotus*, 191
Formica aquilonia, 120
Formicoxenus nitidulus, 120
Fraterarchibracon, 100
Fuscala, 14
Galeopsomyia, 4
Gelis vagans, *xylochophilus*, 193
Giraudia griseescens, 191
Glyphicnemis profligator, 193
Glypta bifoveolata, *ceratites*, *teres*, ?*teres*,
191
Glyptomorpha, 98, 100
Gravenhorstia cerinops, 190
Gronaulax, 14, 108
Habrobracon, 100–1
Hadrodactylus fugax, *tarsator*, 193
Hemiteles bipunctator, *similis*, *tristator*,
191
Heterischnus thoracicus, 192
Heterogyninae, iii
Heteroschema sp., 114
Holischnogaster gracilipes, 31–6, 185–8
Hoplismenus albifrons, *perniciosus*, 191
Hoplocampa testudinea, 231
Hybogaster varipalpis, 104
Hyposoter ebeninus, *notatus*, 191
Ichneumon aethiops, 191; ?*albiger*, 192;
anator, *annulator*, *arrogator*, 191; *calli-*
cerus, *castigator*, *confusor*, *culpator*,
deceptor, *diagrammus*, *extensorius*,
fabricator, *fasciatorius*, *flavoniger*,
fossorius, *fumigator*, *funereus*,
fusorius, *insidiosus*, *lapidator*, *leuco-*
melas, *lineator*, *luctatorius*, *nigritarius*,
ornatorius, *pallifrons*, *pistorius*, *quadri-*
albus, *rubellus*, *sarcitorius*, *sartorius*,
saturatorius, *sedulus*, *sputator*, *sub-*
sericans, *vacillatorius*, *vaginatorius*,
xanthorius, 192
Iphiaulax, 98, 100, 104
Ischnus inquisitorius, 191; *thoracicus*, 192
Iseropus stercorator, 193
Itamoplex diana, *viduatorius*, 191
Itoplectis alternans, *maculator*, 193
Kenema, 100–1
Kimavu, 100–1
Lagarotis erythrocerus, *semicaligatus*, 194
Ligulibracon, 9, 22; *levator*, 9, 23–5
Limerodops subsericans, 192
Liostenogaster, 34, 185, 187; *flavolineata*,
35
Lissanota bellator, *coracinus*, *clypeator*,
cylindrator, *decimator*, *parallela*, *seg-*
mentator, *segmentellator*, 192
Lymantrichneumon disparis, 194
Masariidae, 96
Megalommum, 24
Meganura, 14
Megilla, xiii
Melanichneumon balearicus, 192
Meringopus cyanator, *titillator*, 191
Merinotus, 100
Mesobracon, 10, 98, 100
Mesochorus splendidulus, 193
Mesoleptus filicornis, *geniculosus*,
mundus, *typhae*, 193
Mesostenus transfuga, 193
Metischnogaster, 185, 187
Metopius anxius, *necatorius*, 193
Microgaster, xiii; *australis*, xiii; *robiniae*,
176
Monilobracon, 100; *speciosus*, 98
Monoblastus brachyacanthus, 194
Monocoila, 100–1
Myosoma, 14–6, 106
Myrmica ruginodis, *sabuteli*, *schencki*, 176
Neotypus melanocephalus, 192
Neoxoridea nitens, 194
Nesaulax, 20, 108
Netelia testaceus, 193
Nundinella, 100
Odesia, 14, 100
Odontoscapus, 100–1
Oetophorus naevius, 194
Olesicampe sericea, 191
Ophion brevicornis, *luteus*, *merdarius*,
ramidulus, *ventricosus*, 193
Opiothorax, 127
Opius **curvatus*, **filicornis*, **fulvicollis*,
**phytobiae*, 127
Pachymerus calcitrator, 193
Pamphilus sylvarium, 208
Paniscus testaceus, 193
Parischnogaster, 34, 185; *mellyi*, *nigricans*
serrei, 35
Patrocloides sputator, 192
Paxillibracon, 100

Pedinopleura, 100-1
 Pegopus inornatus, 30
 Perilissus filicornis, 193; rufoniger, 194
 Perithous mediator, 191
 Pezomachus hortensis, vagans, 193
 Phaenolobus terebrator, 190
 Philomacroploea, 10, 26
 Phygadeuon fumator, procerus, profligator, quadrispinus, senilis, 193
 Phymatocera aterrima, 210
 Physaraia, 9, 100-1
 Phytomyzophaga albipes, 113-4
 Pimpla alternans, aquilonia, contemplator, examiner, flavicans, graminellae, instigator, roborator, rufata, scanica, spuria, stercorator, turionellae, varicornis, 193
 Platylabus volubilis, 191
 Plaxopsis, 100; bifasciatus, 98
 Polistes, sp., 73
 Polybiines, 96
 Porizon harpurus, jocator, 193; saltator, 193
 Procinetus decimator, 192
 Promethes sulcator, 191
 Protichneumon coqueberti, fusorius, 192
 Psenulus pallipes, 126
 Pseudodicrogenium, 100
 Pseudospinaria, 10
 Pseudovipio, 98, 100
 Psithyrus, 96
Psittacibracon lacteolus, 9, 16-8
 Pteromalid, sp., 114
 Pteromalus, 30
 Pycnocryptus director, 191
 Rhadinobracon, 100-1
 Rhamnura, 100
 Rhembobius quadrispinus, 193
 Rhorus longicornis, 194
 Rhyssa persuasoria, 193
 Rhytimorpha, 100
 Rogadinae, 10
 Scambus buolianae, detritus, planatus, 193
 Schiztobracon, 100
 Scolioidea, 72
 Shelfordia, 108
 Shirakia, 100-1
 Sobrinarchibracon, 100
 Sororarchibracon, 100
 Soter, 98, 100-1
 Spinaria, 10
 Stenichneumon culpator, militarius, 192
 Stenobarichneumon basiglyptus, 192
 Stenogaster, 185
 Stenomalina rossiliensis, 89-90
 Sussaba erigator, 191
 Sylvibracon, 100
 Syrphoctonus sundevalli, 217
 Syrphophilus bizonarius, 191
 Tersilochus cognatus, saltator, 193
Testudobracon, 9, 25-7, 100-1; **niger**, 9, 25-7
 Theronia atalantae, 193

Thyrateles camelinus, 192
 Torymus, 30
 Trachynotus foliator, 194
 Trigastrotheca, 101
 Triptognathus atripes, 192
Trispinaria, 9, 10-2; 102; **priscicolorus**, 9-12
 Trogus flavatorius, 194
 Trychosis tristator, 191
 Tryphon abditus, brachyacanthus, brunnicans, bruniventris, elegantulus, elongator, erythrocerus, multicolor, naevius, rutilator, semicaligatus, signator, vernalis, 194
 Trypoxylon, 96
 Tsavobracon, 101
Undabracon, 9, 20, 24; **nigrithorax**, 9, 20-3; sinuatus comb. n., 22-3
 Vespa, 187; crabro, 231, 233-8
 Vespula, 235, 236; germanica, 231
 Vipiomorpha, 101
 Virgichneumon albilineatus, callicerus, digrammus, 192
 Vulgichneumon saturatorius, suavis, 192
 Wasps' nests, 73
 Xenolytus bitinctus, 191
 Xorides filiformis, nitens, 194
 Xylonomus filiformis, 194
 Zaglyptogastra, 21, 101; tacita, 101, sp., 104
 Zanzopsis, 101

ISOPTERA

Sp., 231

LEPIDOPTERA

[as hosts], 197
 Abraxus grossulariata, 231
 Abynotha meinickei, 73
 Achaea lienardi, 74
 Aegocera trimeni, 73
 Agrius convolvuli, 74
 Agrotis redimicula, iii
 Amatidae, 108
 Amyna punctum, 74
 Anaphe reticulata, 74
 Anapheis creona severina, 73
 Antispila stadtmüllerella, xiii
 Arhopala pseudocentaurus, 56
 Belenois java, 55
 Blenina quadripuncta, 74
 Borbo cinnara, 57
 Callimorpha jacobaeae, 107
 Caloptilia, 42
 Capys, xiii
 Catochrysops strabo, 53, 56
 Catopsilia florella, 73-4; pomona, 55
 Chersonesia rahria, 53, 56

Cossioidea, 42
 Crinodes, 176
 Danaus chrysippus, 54–5; chrysippus bataviana, 53; genutia, 55; melanippus insularis, 53
 Endrosis sarcitrella, 76
 Ephestia, 93; cautella, 120; elutella, 94
 Euchrysops cnejus, 56–7; cnejus cnejus, 53
 Euphaedra, 176
 Euploea sp., 53, 55
 Eurema alitha, blanda, 55; blanda blanda, 53; hecabe, 55
 Gonodontis rectisectaria, 176
 Gracillariidae, 42
 Graphium agamemnon, 55; sp., 53
 gypsy moth, 72
 Heliconid butterflies, 106
 Heliothis punctiger, punctigera, 252
 Heterogynidae, iii
 Hyles, 92
 Hypolimnas anomala, bolina, 56
 Hypolycaena erylus, 53, 56–7
 Ideopsis juvenata, 52, 55; juvenata juvenata, juvenata krakatauae, 53
 Jamides aratus, 56–7; aratus adana, aratus aratus, 53; bochus, 56, celeno, 57; celeno ruvana, pura, 53
 Larentia capitata, iii
 Leucostrophus hirundo, 74
 Loxura atymnus, 54, 57; atymnus fuconius, 53
 Melanitis leda, 52–3, 56; leda leda, 53
 Mycalesis sp., 53, 56
 Neptis hylas, 52, 54, 56; hylas matuta, 53
 Nyctemera, 73
 Ophideres fullonica, 73
 Orsotriaena medus, 53, 56
 Ourocnemis, 176
 Pachioptera aristolochiae, 53, 55
 Papilio demodocus, 73; erato, xiii; fatima, 4; memnon, 53–5, 58
 Pelopidas agna, 57
 Pero, 176
 Phalaena bellatrix, 176; coracina, hirtata, posticata, iii; rusticella, 176
 Phyllonorycter, 42
 Pieris brassicae, 231; rapae, 94
 Pleuroptera ruralis, 72
 Polytrems lubricans, 53, 57
 Potanthus confuscious, 53, 57
 Precis atlites, 52, 56; atlites atlites, 53
 Psychidae, 42
 Pyralis nigricana, 176
 Rhodogastria leucoptera, phaedra, 73
 Spodoptera exempta, 7
 Thymelicus lineola, 203
 Tincoidea, 42
 Tirumala septentrionis, 52, 55; septentrionis septentrionis, 53
 Triphaena pronuba, 231
 Troides helena, 53, 55
 Vanessa larvae, 72
 Wingia lambertella, 252

Xyleutes boisduvali, liturata, 252
 Yponomeutoidea, 42
 Ypthima sp., 53–4, 56
 Zizina otis, 57
 Zizula hylax, 57
 Zygaena, 42; anthyllidis, xiii
 Zygaenoidea, 42

MANTODEA

Sphaeromantis sp., 73

NEUROPTERA

Chrysopa perla, 254
 Kimminsia, 166
 Kimminsiella, 166
 Kinochrysa, 166
 Mantispidae, 108

ODONATA

Hemianax ephippiger, 88
 Sympetrum danae, 74

ORTHOPTERA

Acheta domestica, 231
 Barbitistes, 1, 3
 Chorthippus brunneus, 42
 Conocephalus dorsalis f. burri, 30
 Grasshoppers, 241
 Gryllotalpa gryllotalpa, 231
 Isophya redtenbacheri, 3
 Leptophyes, 3
 Locusta migratoria, 231
 Metrioptera brachyptera, 42
 Myrmeleotettix maculatus, 42
 Nomadacris, 176
 Omocestus viridulus, 42
 Orphania (s.g.) 1–3
 Pholidoptera griseoaptera, 41
 Poecilimon, 3
 Polysarcus denticaudus, 1–3
 Ruspolia, 3
 Schistocerca gregaria, 196, 231

PHASMIDA

Carausius morosus, 136, 231
 Extatosoma tiaratum, 136

PHTHIRAPTERA

Damalinia longicornis, 30

PSOCOPTERA

Amphigerontia bifasciata, 110

Elipsocus westwoodi, 110

Graphopsocus cruciatus, 110

Liposcelis, 110

Mesopsocus unipunctatus, 110

Peripsocus, 110

Trogium pulsatorium, 110

THYSANOPTERA

Aptinothrips, 4

Cryptothrips conocephali, iii

Eugynothrips, iii

Thrips rufus, 4

TRICHOPTERA

Orusus annulatus, 231

Potamophylex stellatus, 231

GROUPS OTHER THAN INSECTA
AND ARACHNIDA

Annelida, 115, 143

Aves, 73-4, 107

Chilopoda, 64

Helminths, 30

Isopoda, 8

Mammalia, 30, 137

Mollusca, iii, 195

Nematoda, 239-41

Reptilia, iii

ERRATA AND CORRIGENDA

Page	Line	For	Read
22	3 (up)	(Baltazar)	(Baltazar)
30	9 (up)	(Pteromalidae)	(Pteromalidae)
55	13	Catospila	Catopsilia
iv	5	Circulionidae	Curculionidae

VOL. 121

195	8	<i>permundus</i>	<i>purmundus</i>
-----	---	------------------	------------------

